

# Ubrizgana nauka u lepotu

Pluryal  
injectables



#NoSurgery  
#NoPain  
#ReshapePluryal

P.R.E.M.I.U.M. Dizajn<sup>1</sup>

Elastičnost

Kapacitet punjenja<sup>2</sup>

Čistoća<sup>3</sup>

<sup>1</sup> Pure, Reticulated, Elastic, Monophasic, Isotonic, User-Friendly, Maximized Remanence.

<sup>2</sup>Very high G' factor (up to 650,000 mPa)

<sup>3</sup>Residual endotoxins < 5 EU/ml, residual BDDE ≤ 2ppm

PROIZVOD	Pluryal CLASSIC	Pluryal CLASSIC Lidocaine	Pluryal VOLUME	Pluryal VOLUME Lidocaine	Pluryal CONTOUR Lidocaine
SASTAV	Hijaluronska kiselina 23mg/ml	Hijaluronska kiselina 23mg/ml, Lidokain hidrohlorid 0,3%	Hijaluronska kiselina 23mg/ml	Hijaluronska kiselina 23mg/ml, Lidokain hidrohlorid 0,3%	Hijaluronska kiselina 25mg/ml, Lidokain hidrohlorid 0,3%
MREŽASTA STRUKTURA	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■	■ ■ ■ ■
G' FAKTOR	195,000 mPa	195,000 mPa	400,000 mPa	400,000 mPa	650,000 mPa
EFEKTI	Punjenje/Jedrino usana	Punjenje/Jedrino usana	Volumen	Volumen	Reoblikovanje
INDIKACIJE / MESTA APLIKACIJE	<ul style="list-style-type: none"> <li>&gt; Umerene bore i nabori</li> <li>&gt; Usne (Volumen i oblik)</li> </ul>	<ul style="list-style-type: none"> <li>&gt; Umerene bore i nabori</li> <li>&gt; Usne (Volumen i oblik)</li> </ul>	<ul style="list-style-type: none"> <li>&gt; Duboke bore i nabori</li> <li>&gt; Srednja trećina lica</li> <li>&gt; Brada</li> <li>&gt; Nos</li> <li>&gt; Vilica</li> <li>&gt; Ožiljci ili morfološke asimetrije</li> <li>&gt; Facijalna lipoatrofija</li> </ul>	<ul style="list-style-type: none"> <li>&gt; Duboke bore i nabori</li> <li>&gt; Srednja trećina lica</li> <li>&gt; Brada</li> <li>&gt; Nos</li> <li>&gt; Vilica</li> <li>&gt; Ožiljci ili morfološke asimetrije</li> <li>&gt; Facijalna lipoatrofija</li> </ul>	<ul style="list-style-type: none"> <li>&gt; Temporalna regija</li> <li>&gt; Srednja trećina lica</li> <li>&gt; Brada</li> <li>&gt; Vilica</li> <li>&gt; Facijalna lipoatrofija</li> </ul>
DUBINA APLIKACIJE	Srednji do duboki sloj dermisa Usne (belo i crveno)	Srednji do duboki sloj dermisa Usne (belo i crveno)	Duboki sloj dermisa ili subkutani sloj	Duboki sloj dermisa ili subkutani sloj	Subkutano, subperiostalno ili u dubokom sloju dermisa
SADRŽAJ PAKOVANJA	<b>1 x 1ml</b> špric 2 x 27G½" UTW igle	<b>1 x 1ml</b> špric 2 x 27G½" UTW igle	<b>1 x 1ml</b> špric 2 x 27G½" UTW igle	<b>1 x 1ml</b> špric 2 x 27G½" UTW igle	<b>1 x 1ml</b> špric 2 x 27G½" TW igle

Pluryal Injectables are class III medical devices, CE certified (CE 0481 for Pluryal Classic and Pluryal Volume; CE 0120 for Pluryal Classic Lidocaine, Pluryal Volume Lidocaine and Pluryal Contour Lidocaine). These devices must only be used by doctors who have received specific training on the intradermal injection techniques.

Read the instructions before use. Inform the patients about possible side effects

\*HQHUDOQL JDVWXSQNL L GLVWULEXWHU



0-.2'(17\$/ %\*  
\*DQGLMHYD D  
1RYL %HRJUDG 6UELMD  
7HO  
7HO  
7HO

0LNRGHQWDO 0-.2'(17\$/ &52\$7-\$  
%HVW'HQWDO6KRS &-5.21 '(17\$/  
=XERWHKQLIND #NROD %HPJLDG ODVRYD  
6WDQND 9UDJD .DUORYDF  
%HRJUDG 6UELMD 7HO  
7HO  
7HO

0-.2'(17\$/ &UQD \*RUD  
'HQWDO 'HSRW &\* '22  
0DLQVNL 3XW %%  
%XGYD &UQD \*RUD  
7HO




ZZZ EHVWGHQWDOVKRS UV ZZZ PLNRGHQWDO UV  
EHVWGHQWDOVKRSPLNRGHQWDOBNRGRHQWDOGHSRW  
EHVWGHQWDOVKRS PLNRGHQWDO

ZZZ PGEHDXW\ UV  
ILOHULKLMDOXURQPH]RWHUDSLMD  
PLNRGHQWDO  
SOXU\DOVUELMD  
SOXU\DOVUELK  
SOXU\DOFUQDJRUD

3OXU\DO \$NDGHPLMD  
JURXSV

SOXU\DO RIIL FLDQ  
SOXU\DO



Pluraly  
MD Skin Solutions  
9AB Boulevard du Prince Henri  
L-1724 Luxembourg  
T: +352 26 20 04 06  
pluryal.com

PM\_BRO\_PRO\_EN\_RevD